

Springfield Gold Project, NSW – Exploration Update

FURTHER WIDE SHALLOW GOLD INTERCEPTS CONTINUE TO EXPAND THE SPRINGFIELD GOLD DEPOSIT, NSW

New assays return 44m @ 2.03g/t Au and 24m @ 2.97g/t Au, further strengthening confidence in a significant emerging gold system, with assays pending from a further eight holes

Highlights

- Further drilling within the main mineralised corridor continues to expand the known extent of the system at Springfield, with assays from two additional Reverse Circulation (RC) holes including:
 - 44m @ 2.03g/t Au from 1 metre, including:
 - 7m @ 4.04g/t Au from 1 metre, and
 - 12m @ 3.46g/t Au from 25 metres (SFRC018); and
 - 24m @ 2.97g/t Au from surface, including:
 - 15m @ 4.27g/t Au from surface, which included:
 - 8m @ 6.71g/t Au from surface (SFRC017)
- These results confirm the continuity of shallow gold mineralisation within the main corridor, aligning with previous drill holes which returned results including:
 - 55m @ 1.32g/t Au from surface, including:
 - 15m @ 2.79g/t Au from 7 metres, which included:
 - 6m @ 4.09g/t Au from 7 metres (SFRC011);
 - 37m @ 1.90g/t Au from surface, including:
 - 11m @ 3.50g/t Au from 3 metres (SFRC013); and
 - 52m @ 1.35g/t Au from 20 metres, including
 - 11m @ 3.03g/t Au from 39 metres (SFRC004)
- Gold mineralisation has now been intersected over approximately 180m of strike and to around 70m vertical depth, with mineralisation remaining open in multiple directions.
- Assays are pending for a further eight drill holes – expected in the coming weeks.
- A follow-up drilling program will commence this week to begin testing deeper beneath the shallow gold mineralisation intersected to date in the Company’s maiden drilling program.

Xpedra’s Managing Director, Scott Funston, said:

“The latest assay results, from another four holes, continue to demonstrate the emerging scale and continuity of the Springfield Gold Deposit. Importantly, thick gold mineralisation has been intersected at shallow depths over 180 metres of strike in our maiden drilling program, including a new standout intercept of 44m at 2.03g/t gold from 1 metre depth in recently received assays. This is one of the strongest results received to date.

“Importantly, mineralisation remains open in multiple directions. Despite assays still pending from eight holes, this week we are commencing a follow-up drilling program to begin to test depth extensions, as we believe there is considerable potential to delineate a sizeable deposit at Springfield.”




Figure 1: Plan view showing the location of recent and historical drill holes at the Springfield Gold Deposit. Historic drill holes are shown in white, and assays from the Company’s drill holes in yellow. Assays released in this announcement are shown in dark yellow. Assays for eight holes drilled in the recent 27-hole program are pending and expected in the coming weeks

Xpedra Resources Limited (ASX: XPD; “Xpedra” or “the Company”) is pleased to report significant assay results for four additional holes from its maiden Reverse Circulation (RC) drill program at the Springfield Gold Deposit (“Springfield” or “the Project”), located in the Lachlan Fold Belt of NSW.

The maiden RC drilling program comprised twenty-seven (27) holes designed to systematically test and extend known zones of gold mineralisation within a 1,700m-long mineralised intrusion, while also beginning to test new targets along the mineralised corridor.

High-grade shallow gold mineralisation continues from Springfield

Assay results continue to demonstrate the presence of broad, shallow gold mineralisation within the main corridor at Springfield, returning:

- **44m @ 2.03g/t Au from 1 metre, including:**
 - **7m @ 4.04g/t Au from 1 metre, and**
 - **12m @ 3.46g/t Au from 25 metres (SFRC018);**
- **24m @ 2.97g/t Au from surface, including:**
 - **15m @ 4.27g/t Au from surface, which included:**
 - **8m @ 6.71g/t Au from surface (SFRC017);**
- **23m @ 1.02g/t Au from surface, including**
 - **9m @ 1.75g/t Au from 14 metres (SFRC016)**
- **12m @ 1.36g/t Au from 64 metres (SFRC019)**

Additionally, hole SFRC017 also returned:

- **7m @ 1.22g/t Au from 42 metres;**
- **1m @ 3.58g/t Au from 69 metres; and**
- **1m @ 2.55g/t Au from 99 metres (to EOH).**

Notably, hole SFRC017 ended in mineralisation (1m @ 2.55g/t Au at the bottom of hole).

These results align favourably with the previously reported broad shallow gold mineralisation returned recently from the southern portion of the main corridor, which included:

- **55m @ 1.32g/t Au from surface, including:**
 - **15m @ 2.79g/t Au from 7 metres, which included:**
 - **6m @ 4.09g/t Au from 7 metres (SFRC011);**
- **37m @ 1.90g/t Au from surface, including:**
 - **11m @ 3.50g/t Au from 3 metres (SFRC013); and**
- **16m @ 2.66g/t Au from surface, including**
 - **8m @ 5.00g/t Au from 5 metres (SFRC014)**

Holes SFRC016 to SFRC019 were designed to test the continuity of shallow gold mineralisation through the central-northern portion of the Springfield main corridor. With assays now confirming that broad, high-grade gold mineralisation is present in this area, thick, shallow high-grade gold mineralisation has now been confirmed to extend over more than 180 metres of strike at Springfield, and remaining completely open to the north and at depth.




Figure 2: Cross-section showing broad gold mineralisation in holes SFRC017, SFRC018 and SFRC019. The mineralised zone remains open at depth.

With assays now reported from 19 of the Company's initial 27 drill holes, the maiden RC program is continuing to increase confidence in the scale, continuity and shallow nature of the Springfield Gold Deposit.

Assay results remain pending for eight of the initial 27 drill holes. These include holes drilled further along strike to the north as well as a series of four widely-spaced holes that were drilled to begin to test the depth potential of the Deposit (see Figures 1 and 2).

The Company remains very encouraged:

- By the continued shallow depths of mineralisation;
- That broad intervals of gold mineralisation continue to be intersected across the deposit;
- By the presence of multiple higher-grade zones within the broader mineralised system;
- That mineralisation remains open at depth;
- That mineralisation remains open to the north, west and south-west of current drilling; and
- By the potential for Springfield to represent a substantial shallow gold system with significant exploration upside.

Upcoming Follow-up Drilling Program

This week, the Company will commence a follow-up RC drilling program comprising approximately 1,000 metres. The holes have been designed to begin to test for deeper extensions of the shallow mineralisation that has been delineated in the Company's maiden drilling program.

This announcement was authorised for release by the Board of Directors.

For further information please contact:

Scott Funston

Managing Director
Xpedra Resources Limited
Phone: +61 413 867 600
Email: sfunston@xpedraresources.com

Nicholas Read

Read Corporate
Media Inquiries:
Phone: +61 419 929 046
Email: nicholas@readcorporate.com.au

About the Springfield Gold Deposit, NSW

In November 2025 Xpedra acquired a 100% interest in the Springfield Gold Deposit in central NSW.

Historical shallow drilling and mapping has delineated a well-mineralised intrusion extending over >1,700m of strike. Very limited drilling has been undertaken previously (only 6,568m), yet considerable shallow, thick, and high-grade mineralisation has been intersected, including:

- **27.0m @ 3.65g/t Au from 0m (surface), including:**
 - *6.0m @ 8.29g/t Au from 1.0m; and*
 - *3.0m @ 9.23g/t Au from 11.0m*
- **86.0m @ 1.04g/t Au from 104.0m, including:**
 - *12.0m @ 2.90g/t Au from 160.0m; and*
 - *26.0m @ 1.83g/t Au from 146.0m*
- **65.0m @ 1.16g/t Au from 2.0m, including:**
 - *13.0m @ 2.92g/t Au from 12.0m*
- **41.0m @ 1.47 g/t Au from 22.0m, including:**
 - *8.0m @ 3.87g/t Au from 32.0m*
- **43.0m @ 0.96 g/t Au from 0m (surface), including:**
 - *15.0m @ 1.81g/t Au from 26.0m*
- **29.0m @ 1.32g/t Au from 4.0m, including:**
 - *2.0m @ 4.61g/t Au from 4.0m; and*
 - *7.0m @ 2.51g/t Au from 14.0m, and*
- **12.0m @ 2.78g/t Au from 25.0m, including:**
 - *4.0m @ 6.63g/t Au from 31.0m*

Drilling to test below shallow mineralisation has been constrained to only 500m of the >1,700m strike length of the mineralised intrusion, with mineralisation remaining completely open in both directions along strike and at depth. There had been no drilling completed at the project since 1999 prior to the Company's maiden drilling program that began in March 2026.




Figure 3. Location of the Springfield Gold Deposit within Xpedra’s project portfolio in NSW.

Appendix 1

Drillhole Locations

Co-ordinates are based on GDA94 – MGA Zone 55 grid

Hole ID	Easting	Northing	Elevation (m)	Total Depth (m)	Azimuth	Dip
SFRC016	739101	6407700	537	71	77	-60
SFRC017	739101	6407712	537	100	320	-55
SFRC018	739092	6407727	536	55	78	-60
SFRC019	739045	6407712	535	120	77	-60

Drill Results

Results are reported using a 0.2 g/t Au cut-off; maximum internal waste of 4m

Hole ID		From	To	Width	Au (ppm)
SFRC016		0	33	33	0.76
	Incl.	0	23	23	1.02
	Incl.	14	23	9	1.75
		44	51	7	1.52
SFRC017		0	30	30	2.42
	Incl.	0	24	24	2.97
	Incl.	0	15	15	4.27
	Incl.	0	8	8	6.71
		35	49	14	0.75
		62	63	1	0.69
		69	70	1	3.58
		75	80	5	0.40
		87	90	3	0.37
		97	100	3	1.01
	Incl.	99	100	1	2.55
SFRC018		0	48	48	1.89
	Incl.	1	45	44	2.03
	Incl.	1	8	7	4.04
	And	25	37	12	3.46
SFRC019		20	51	31	0.21
		56	76	20	0.95
	Incl.	64	76	12	1.36

Additional Information

Competent Persons Statement

The information in this announcement that relates to exploration results is based on, and fairly reflects, information compiled by Mr Charlie Voorn, who is a consulting geologist. Mr Voorn is a Registered Member of the Australian Institute of Geoscientists and is an independent consultant geologist. Mr Voorn has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and the activity he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results and Mineral Resources (JORC Code). Mr Voorn consents to the inclusion in the announcement of the matters based on the information in the form and context in which it appears.

There is information in this announcement relating to previous exploration results which were announced on 22 September 2025 titled: "Acquisition of Highly Prospective Springfield Gold Deposit in NSW and \$2.2 million Placement", 21 April 2026 titled "Compelling Wide, Shallow Gold Zones Intersected in Initial Drilling at the Springfield Gold Deposit, NSW", 28 May 2026 titled "Drilling Continues to Return Compelling Wide, Shallow Gold Intercepts at the Springfield Gold Deposit NSW" and 11 June 2026 titled "Exceptional Wide, Shallow Gold Intercepts Continue to Build Scale Potential at the Springfield Gold Deposit, NSW". Please refer to those announcements for full details and supporting information. Other than as disclosed in those announcements, Xpedra confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements, and that all material assumptions and technical parameters continue to apply and have not materially changed. Xpedra also confirms that the form and context in which the Competent Person's findings were included have not been materially modified from the original market announcements.

Forward Looking Statements

Information included in this announcement constitutes forward-looking statements. When used in this announcement, forward-looking statements can be identified by words such as "anticipate", "believe", "could", "estimate", "expect", "future", "intend", "may", "opportunity", "plan", "potential", "project", "seek", "will" and other similar words that involve risks and uncertainties.

Forward-looking statements inherently involve known and unknown risks, uncertainties and other factors that may cause the Company's actual results, performance and achievements to differ materially from any future results, performance or achievements. Relevant factors may include, but are not limited to, changes in commodity prices, foreign exchange fluctuations and general economic conditions, increased costs and demand for production inputs, the speculative nature of exploration and project development, including the risks of obtaining necessary licences and permits and diminishing quantities or grades of resources and reserves, political and social risks, changes to the regulatory framework within which the Company operates or may in the future operate, environmental conditions including extreme weather conditions, recruitment and retention of personnel, industrial relations issues and litigation as well as other uncertainties and risks set out in the announcements made by the Company from time to time with the Australian Securities Exchange.

Forward-looking statements are not guarantees of future performance and involve known and unknown risks, uncertainties, assumptions and other important factors, many of which are beyond the control of the Company, its directors and management of the Company that could cause the Company's actual results to differ materially from the results expressed or anticipated in these statements.

The Company cannot and does not give any assurance that the results, performance or achievements expressed or implied by the forward-looking statements contained in this announcement will actually occur and investors are cautioned not to place undue reliance on these forward-looking statements. The Company does not undertake to update or revise forward-looking statements, or to publish prospective financial information in the future, regardless of whether new information, future events or any other factors affect the information contained in this report, except where required by applicable law and stock exchange listing requirements.

Appendix 2

JORC Code, 2012 Edition – Table 1 Report

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> Nature and quality of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report. 	<ul style="list-style-type: none"> RC drill samples were collected using an onboard cyclone and cone splitter, with a split sample taken of every metre drilled and collected in a numbered calico bag. Sample weights are monitored by the supervising geologist. Remaining bulk material is collected and stored in green bags on the ground, placed in depth order. Within wall-rock intervals, 4m composite samples were taken from the green bulk bags using a 30mm PVC spear to collect a 2-3kg sample Sample weights ranged from 1.5kg to 3.5kg. The sample size is considered acceptable for the grain size of the material being sampled. Samples were analysed by SGS Laboratories in Orange, NSW. Samples were crushed and pulverised to 85% passing 75 microns, homogenised and split to produce a 50g charge for fire assay with Atomic Adsorption Spectroscopy (AAS) (0.01 – 100 ppm limits).
Drilling techniques	<ul style="list-style-type: none"> Drill type and details 	<ul style="list-style-type: none"> Reverse Circulation drilling with auxiliary compressor and on-board cyclone and cone splitter. Holes are drilled using a 146mm diameter hammer bit.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. 	<ul style="list-style-type: none"> Sample recovery and water content are monitored and noted by the supervising geologist. Sample weight is monitored in the field and measured at the lab. No grade bias associated with sample recovery has been noted in the drill results reported in this announcement.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically 	<ul style="list-style-type: none"> Logging of RC chips included recording information on lithology, alteration,

Criteria	JORC Code explanation	Commentary
	<p><i>logged to a level of detail to support appropriate Mineral Resource estimation studies.</i></p> <ul style="list-style-type: none"> • <i>Whether logging is qualitative or quantitative in nature.</i> • <i>Core (or costean, channel, etc) photography.</i> 	<p>mineralisation, weathering, veining, sample recoveries and sample condition.</p> <ul style="list-style-type: none"> • A portion of each 1m interval of RC cuttings is sieved, cleaned and retained in chip trays as a visual reference for logging. Chip trays are labelled with the relevant hole ID, drill depths and individual intervals. • Logging is considered qualitative in nature, except for logging of visual estimates of mineralisation which is semi-quantitative.
<p><i>Sub-sampling techniques and sample preparation</i></p>	<ul style="list-style-type: none"> • <i>If core, whether cut or sawn and whether all core taken.</i> • <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> • <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> • <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> • <i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including field duplicate results.</i> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • RC drill samples were collected using an onboard cyclone and cone splitter, with a split sample taken of every metre drilling and collected in a numbered calico bag. • Sample sizes are considered appropriate for the grain size of material being sampled. • Sample preparation are considered appropriate for the material being sampled. • Quality control samples included duplicate samples inserted every 20m, certified reference materials every 50m, and blanks every 100m. SGS labs also insert certified reference materials and lab duplicates into the sample series.
<p><i>Quality of assay data and laboratory tests</i></p>	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<ul style="list-style-type: none"> • All analysis for gold (Au) is undertaken by SGS Labs (a registered laboratory) using a 50g fire assay with an AAS finish. This method has a detection limit of 0.01ppm Au and is a full digestion technique. • Internal certified laboratory QAQC is undertaken including check samples, repeats, blanks and internal standards. This is in addition to field duplicates and CRMs submitted by XPD. • No external laboratory checks have been completed. The detection limit of 0.01ppm Au and the analysis technique is appropriate for the detection of Au mineralisation in the materials analysed.
<p><i>Verification of sampling and assaying</i></p>	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> 	<ul style="list-style-type: none"> • Significant intersections and assay results reported above, taken from historical exploration reports, were calculated using a 0.2 g/t Au cut-off and maximum internal waste of 4m. These significant intercepts have been verified by company personnel and consultant geologists. • Data is collected into a field database during drilling which is backed up daily to company servers, and imported into the XPD geological database every week.

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • No adjustments to the data contained within this report.
<i>Location of data points</i>	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> • Coordinates were recorded using a differential GPS with a horizontal accuracy of +/-10cm in GDA94/MGA Zone 55 co-ordinates. • Topographic control adequate and appropriate for the intentions of this report
<i>Data spacing and distribution</i>	<ul style="list-style-type: none"> • <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity</i> • <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> • Drilling data is unevenly distributed within the project area as it is exploratory in nature. • No mineral resource or reserve calculation has been applied.
<i>Orientation of data in relation to geological structure</i>	<ul style="list-style-type: none"> • <i>Whether the orientation of the sampling achieves unbiased sampling of possible structures.</i> 	<ul style="list-style-type: none"> • Nearly all drilling reported is at high angles to the interpreted overall trend of mineralisation and should therefore have been unbiased in terms of sampling. The geometry of mineralization and mineralized structures within this overall trend is still unknown. • An exception to the above are holes SFRC003 and SFRC017, which were drilled obliquely to the interpreted overall mineralised trend. As the orientation of high-grade structures within the Springfield deposit is not yet fully understood, the aim of these holes was to test for the presence of high-grade gold-bearing structures orthogonal/perpendicular to this mineralised trend.
<i>Sample security</i>	<ul style="list-style-type: none"> • <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> • Chain of custody is managed by XPD staff. Samples were stored in a locked storage facility each day, and transported weekly to the lab by company personnel.
<i>Audits or reviews</i>	<ul style="list-style-type: none"> • <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> • No formal audits of sampling techniques due to the early-stage nature of the drilling.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary								
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<p>Details for the Springfield exploration license are given in the table below:</p> <table border="1"> <thead> <tr> <th>License No.</th> <th>Project</th> <th>Ownership</th> <th>Expiry</th> </tr> </thead> <tbody> <tr> <td>8437</td> <td>Springfield</td> <td>100%</td> <td>21/6/27</td> </tr> </tbody> </table> <ul style="list-style-type: none"> There are no impediments to operate on the project. 	License No.	Project	Ownership	Expiry	8437	Springfield	100%	21/6/27
License No.	Project	Ownership	Expiry							
8437	Springfield	100%	21/6/27							
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Exploration is known to have been conducted on the Springfield project (8437) by the following explorers: <ul style="list-style-type: none"> Endeavour Mining (1981) DIGS Report No: R00011461 Geological mapping, geophysical surveys, geochemical surveys, percussion and diamond drilling. Sabminco (1988-89) DIGS Report No: R00006311 Geological mapping, geochemical sampling, RAB and open hole percussion drilling. It is worth noting that tabulated logging data, assay data and necessary assay lab certificates were not provided in the exploration report R00006311 and so collar locations are given here in Appendix I (SPRB- prefix drillholes) but no assay data is reported or used in significant intercept calculations. This drilling consisted of shallow, “first-pass” RAB drilling. International Mining Corporation (IMC) (1989) DIGS Report No: R00003792 Soil sampling, RAB, percussion, and diamond drilling. 								

Criteria	JORC Code explanation	Commentary
		<p>Newmont/Newcrest (1990-1991) DIGS Report No: R00003794; R00001773 Ground geophysics, RC and RAB drilling.</p> <p>M. Phillips (1998-99) DIGS Report No: R000020521 Airborne geophysics, Soil sampling, RC & percussion drilling.</p> <ul style="list-style-type: none"> • A full appraisal of the data mentioned above will be completed during the company's granted due diligence period and will include a full compilation of all open-file exploration data related to the projects, including surface geochemical data, geophysical data, geological mapping, etc. • Exploration completed by parties on the Golden Hill, Grenfell, Ironbarks, Shanahans, and Warrane projects has not been reviewed at this stage and is not material to this announcement. Please see "Further Work" section below for more details.
Geology	<ul style="list-style-type: none"> • <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> • The Springfield project (EL 8437) is located within Ordovician mafic volcanics, volcanoclastics, sediments and intrusives; Silurian acid volcanics and sediments, with subordinate Devonian sediments and intrusives; Permian cover sediments; and Tertiary to Recent alluvium. The Ordovician rocks are the north-eastern most exposure of the Macquarie Volcanics (MV), whereas the Silurian sequences include parts of both the Capertee High (a platform sequence of shallow marine to shoreline sediments and volcanics draped on the MV) and the Hill End Trough rift zone (marine sediments and volcanics). The Devonian rocks are interpreted as marginal platform sediments. The Permian sediments are associated with the initial opening of the Sydney Basin rift. The character of the gold mineralisation located at the Springfield project is consistent with mesothermal vein-style mineralisation controlled by brittle deformation of a structurally competent body. The area is considered prospective for vein gold and, possibly, porphyry copper gold mineralisation hosted by Ordovician volcanics/volcanoclastics and intrusions of the Macquarie Volcanics.

Criteria	JORC Code explanation	Commentary
Drill hole Information	<ul style="list-style-type: none"> • A summary of all material information including a tabulation of the following information for all Material drill holes: <ul style="list-style-type: none"> ○ Easting, northing and elevation of the drill hole collar ○ Dip, azimuth and depth of the hole ○ down hole length and interception depth 	<ul style="list-style-type: none"> • Relevant drill hole information provided in Appendix 1 and body of report above.
Data aggregation methods	<ul style="list-style-type: none"> • In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated. • The assumptions used for any reporting of metal equivalent values should be clearly stated. 	<ul style="list-style-type: none"> • This information provided in Appendix 1 and body of report above.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> • These relationships are particularly important in the reporting of Exploration Results. • If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. • If the True width is not known there should be a clear statement to this effect (eg 'down hole length, true width not known'). 	<ul style="list-style-type: none"> • All drilling reported is at high angles to the interpreted overall trend of mineralization.
Diagrams	<ul style="list-style-type: none"> • Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views. 	<ul style="list-style-type: none"> • Refer to Figures in the body of the report above.
Balanced reporting	<ul style="list-style-type: none"> • Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced. 	<ul style="list-style-type: none"> • All relevant results reported in the body of report above. • Not all sample assay data has been included in this report as it is not considered material beyond the representatively reported high- and low-grade results presented in the main body of this ASX Release. • Drill results are reported as grade/widths with a grade cut-off of 0.2 g/t Au and a maximum internal waste of 4m.
Other substantive exploration data	<ul style="list-style-type: none"> • Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> • No other relevant exploration data to report at this early stage. For results from previous historical drilling not completed by Xpedra, please refer to ASX announcement dated 22 Sept 2025 titled "Acquisition of Highly Prospective Gold Deposit in NSW".

Criteria	JORC Code explanation	Commentary
Further work	<ul style="list-style-type: none"> <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas.</i> 	<ul style="list-style-type: none"> Assay results for the remaining 22 holes completed to date are still pending. A further 15 holes are still to be drilled within the current program. Follow up RC and/or diamond drilling is anticipated once all results have been received and interpreted. Diagrams highlighting areas of possible extension are included within this report.

Sections 3, 4 and 5 do not apply to this announcement as there are no mineral resources, no ore reserves and no gemstones reported in this announcement.